D-MAX

LHD Specifications

THERE'S WORK TO DO

ISUZU

With you, for the long run

D-MAX	250 HO STANDARD SINGLE CAB	250 HO STANDARD DOUBLE CAB	250 HO STANDARD DOUBLE CAB (1)
DRIVE CONFIGURATION	**4X4 M/T**	**4X4 M/T**	**4X4 M/T**
ENGINE			
Displacement (cc)	2 499	2 499	2 499
No. of Cylinders	4	4	4
Compression Ratio	18.1:1	18.1:1	18.1:1
Bore X Stroke (mm)	95.4 X 87.4	95.4 X 87.4	95.4 X 87.4
No. of Valves	16	16	16
Power @ r/min (kW)	100 @ 3 400	100 @ 3 400	100 @ 3 400
Torque @ r/min (Nm)	320 @ 1 800 – 2 800	320 @ 1 800 – 2 800	320 @ 1 800 – 2 800
Turbocharger	Standard	Standard	Standard
Intercooler	Standard	Standard	Standard
FUEL CONSUMPTION (1)			
Fuel Type	Diesel	Diesel	Diesel
TRANSMISSION			
Transmission Type	5-Speed Manual	5-Speed Manual	5-Speed Manual
Gear Ratio: 1st	4.008	4.008	4.008
Gear Ratio: 2nd	2.301	2.301	2.301
Gear Ratio: 3rd	1.427	1.427	1.427
Gear Ratio: 4th	1.000	1.000	1.000
Gear Ratio: 5th	0.744	0.744	0.744
Gear Ratio: Reverse	3.651	3.651	3.651
4WD Selector Switch	Standard	Standard	Standard
Low Range Ratio	2.482	2.482	2.482
FRONT DIFFERENTIAL			
Shift on the Fly up to 100 km/h	Standard	Standard	Standard
Axle Ratio: Final Drive	4.100	4.100	4.100
REAR DIFFERENTIAL			
Limited Slip Differential	Standard	Standard	Standard
Axle Ratio: Final Drive	4.100	4.100	4.100
CHASSIS DESIGN			
Front Wheel Suspension	Coil Over Shock	Coil Over Shock	Coil Over Shock
Rear Wheel Suspension	Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung
Shock Absorbers	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)
Suspension	High-Ride	High-Ride	High-Ride
Skid Plate Guard	Standard	Standard	Standard
Engine Sump Guard	Standard	Standard	Standard
Transfer Case Guard	–	Standard	Standard
WHEELS / TYRES			
Tyre Size	245 / 70 R16 AT	245 / 70 R16 AT	245 / 70 R16 AT
Wheel Size / Type	16" X 7.0J Alloy	16" X 7.0J Alloy	16" X 7.0J Alloy
Spare Wheel	16" X 6.5J Steel	16" X 6.5J Steel	16" X 6.5J Steel
Turning Circle: Curb-to-Curb (m)	12.8	12.8	12.8

250 HO MID (AIRBAG) DOUBLE CAB	250 HO X-RIDER DOUBLE CAB	250 HO X-RIDER DOUBLE CAB [1]	300 LS DOUBLE CAB	300 LS DOUBLE CAB
4X4 M/T	4X4 M/T	4X4 M/T	4X4 M/T	4X4 A/T
2 499	2 499	2 499	2 999	2 999
4	4	4	4	4
18.1:1	18.1:1	18.1:1	17.3:1	17.3:1
95.4 X 87.4	95.4 X 87.4	95.4 X 87.4	95.4 X 104.9	95.4 X 104.9
16	16	16	16	16
100 @ 3 400	100 @ 3 400	100 @ 3 400	120 @ 3 200	120 @ 3 200
320 @ 1 800 – 2 800	320 @ 1 800 – 2 800	320 @ 1 800 – 2 800	380 @ 1 800 – 2 200	380 @ 1 800 – 2 200
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Diesel	Diesel	Diesel	Diesel	Diesel
5-Speed Manual	5-Speed Manual	5-Speed Manual	5-Speed Manual	5-Speed Automatic
4.008	4.008	4.008	4.332	3.520
2.301	2.301	2.301	2.560	2.042
1.427	1.427	1.427	1.492	1.400
1.000	1.000	1.000	1.000	1.000
0.744	0.744	0.744	0.791	0.716
3.651	3.651	3.651	3.947	3.224
Standard	Standard	Standard	Standard	Standard
2.482	2.482	2.482	2.482	2.482
Standard	Standard	Standard	Standard	Standard
4.100	4.100	4.100	3.727	3.727
Standard	Standard	Standard	–	–
4.100	4.100	4.100	3.727	3.727
Coil Over Shock	Coil Over Shock	Coil Over Shock	Coil Over Shock	Coil Over Shock
Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung
Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)
High-Ride	High-Ride	High-Ride	High-Ride	High-Ride
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
245 / 70 R16 AT	255 / 60 R18	255 / 60 R18	255 / 60 R18 AT	255 / 60 R18 AT
16" X 7.0J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy
16" X 6.5J Steel	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy
12.8	12.8	12.8	12.8	12.8

D-MAX	250 HO STANDARD SINGLE CAB	250 HO STANDARD DOUBLE CAB	250 HO STANDARD DOUBLE CAB (1)
DRIVE CONFIGURATION	**4X4 M/T**	**4X4 M/T**	**4X4 M/T**
DIMENSIONS			
Length (mm)	5 314	5 294	5 294
Width (mm)	1 860	1 860	1 860
Height (mm)	1 790	1 790	1 790
Wheelbase (mm)	3 095	3 095	3 095
Front / Rear Track (mm)	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570
Rear Overhang (mm)	1 321	1 301	1 301
Ground Clearance (mm)	225	225	225
Loadbox Length (mm)	2 305	1 485	1 485
Loadbox Width (mm)	1 535	1 535	1 535
Loadbox Depth (mm)	445	470	470
Approach Angle (°)	30.0	30.0	30.0
Departure Angle (°)	22.4	22.7	22.7
Breakover Angle (°)	22.4	22.4	22.4
Wading Depth (mm)	600	600	600
MASS / CAPACITIES			
Gross Axle Mass – Front (GA1) (kg)	1 350	1 350	1 350
Gross Axle Mass – Rear (GA2) (kg)	1 870	1 870	1 870
Gross Vehicle Mass (GVM) (kg)	2 950	2 950	2 950
Gross Combined Mass (GCM) (kg)	4 950	4 950	4 950
Tare Mass (kg)	1 810	1 900	TBD
Payload (kg)	1 081	991	TBD
Fuel Tank Capacity (Litres)	80	80	80
LOADBOX FEATURES			
Load Restraint Tiedown Brackets	4	4	4
Rope Hooks on Loadbox Side	Standard	–	–
SAFETY FEATURES			
Load-Sensing Proportioning Valve (LSPV)	–	Standard	Standard
Anti-Lock Braking System (ABS)	Standard	–	–
Electronic Brake-Force Distribution (EBD)	Standard	–	–
Brake-Assist System (BAS)	Standard	–	–
Electronic Stability Control (ESC) with Traction Control	–	–	–
Hill-Start Assist (HSA)	–	–	–
Hill Descent Control (HDC)	–	–	–
Height-Adjustable 3-Point Seatbelts	Standard	Standard	Standard
Front Seat Centre Lapbelt (2-Point)	Standard	–	–
Seatbelt Pre-Tensioners	Standard	–	Standard

250 HO MID (AIRBAG) DOUBLE CAB	250 HO X-RIDER DOUBLE CAB	250 HO X-RIDER DOUBLE CAB [1]	300 LS DOUBLE CAB	300 LS DOUBLE CAB
4X4 M/T	4X4 M/T	4X4 M/T	4X4 M/T	4X4 A/T
5 294	5 294	5 294	5 294	5 294
1 860	1 860	1 860	1 860	1 860
1 790	1 790	1 790	1 790	1 790
3 095	3 095	3 095	3 095	3 095
1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570
1 301	1 301	1 301	1 301	1 301
225	225	225	220	220
1 485	1 485	1 485	1 485	1 485
1 535	1 535	1 535	1 535	1 535
470	470	470	470	470
30.0	30.0	30.0	30.0	30.0
22.7	22.7	22.7	22.7	22.7
22.4	22.4	22.4	22.4	22.4
600	600	600	600	600
1 350	1 350	1 350	1 350	1 350
1 870	1 870	1 870	1 870	1 870
2 950	2 950	2 950	3 000	3 000
4 950	4 950	4 950	5 000	5 000
1 905	1 990	TBD	1 990	2 010
986	901	TBD	951	931
80	80	80	80	80
4	4	4	4	4
–	–	–	–	–
–	–	–	–	–
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
–	–	–	Standard	Standard
–	–	–	Standard	Standard
–	–	–	Standard	Standard
Standard	Standard	Standard	Standard	Standard
–	–	–	–	–
Standard	Standard	Standard	Standard	Standard

D-MAX	250 HO STANDARD SINGLE CAB	250 HO STANDARD DOUBLE CAB	250 HO STANDARD DOUBLE CAB (1)
DRIVE CONFIGURATION	**4X4 M/T**	**4X4 M/T**	**4X4 M/T**
SAFETY FEATURES			
Fixed Rear Seatbelts (3-Point)	–	Standard	Standard
Seatbelt Reminder	Driver	Driver	Driver
Driver & Passenger Airbags	Standard	–	Standard
Front Seat Side Airbags	–	–	–
Curtain Airbags	–	–	–
Side-Impact Protection Bars	Standard	Standard	Standard
Collapsible Steering Column	Standard	Standard	Standard
Speed-Sensitive Door Lock	–	–	–
ISOFIX Child Seat Attachment	–	–	–
Park Distance Control (PDC)	–	–	–
Rear-View Camera	–	–	–
Warning Triangle Kit	Standard	Standard	Standard
SECURITY FEATURES			
Manual Door Locks	Standard	–	–
Remote-Controlled Central Locking	–	–	–
Remote Keyless Entry	–	–	–
Passive Entry Start System (PESS)	–	–	–
Childsafe Rear Door Locks	–	Standard	Standard
Anti-Theft Alarm System	–	–	–
Transponder Immobiliser System	Standard	Standard	Standard
INTERIOR / EXTERIOR LIGHTING			
Front Reading Lamps	–	–	–
Interior Courtesy Lamps	Standard	Standard	Standard
Illuminated Entry	–	–	–
Fog Lights	Standard	Standard	Standard
Daytime Running Lights (DRL)	–	–	–
Headlights	Halogen	Halogen	Halogen
Headlight Levelling	–	–	–
Headlight 'ON' Warning Buzzer	Standard	Standard	Standard
Side Indicator Lights on Doors	Standard	Standard	Standard
Rear Taillights – Combination	Bulb	Bulb	Bulb
High-Mounted Centre Stoplight	Standard	Standard	Standard
EXTERIOR FEATURES			
Wipers	Intermittent	Intermittent	Intermittent
Radiator Grille – Colour	Grey	Grey	Grey
Front Bumper – Colour	Body Colour	Body Colour	Body Colour

250 HO MID (AIRBAG) DOUBLE CAB	250 HO X-RIDER DOUBLE CAB	250 HO X-RIDER DOUBLE CAB [1]	300 LS DOUBLE CAB	300 LS DOUBLE CAB
4X4 M/T	4X4 M/T	4X4 M/T	4X4 M/T	4X4 A/T
Standard	Standard	Standard	Standard	Standard
Driver	Driver	Driver	Driver & Passenger	Driver & Passenger
Standard	Standard	Standard	Standard	Standard
–	–	–	Standard	Standard
–	–	–	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
–	–	–	Standard	Standard
–	–	–	Rear	Rear
–	–	–	Standard	Standard
Standard	Standard	Standard	Standard	Standard
–	–	–	–	–
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	–	–
–	–	–	Standard	Standard
Standard	Standard	Standard	Standard	Standard
–	–	–	Standard	Standard
Standard	Standard	Standard	Standard	Standard
–	–	–	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
–	LED	LED	LED	LED
Halogen	Projector	Projector	Bi-LED	Bi-LED
–	–	–	Manual	Manual
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	–	–
Bulb	Bulb	Bulb	LED	LED
Standard	Standard	Standard	Standard	Standard
Intermittent	Intermittent	Intermittent	Variable Intermittent	Variable Intermittent
Grey	Black	Black	Chrome	Chrome
Body Colour	Body Colour	Body Colour	Body Colour	Body Colour

D-MAX	250 HO STANDARD SINGLE CAB	250 HO STANDARD DOUBLE CAB	250 HO STANDARD DOUBLE CAB (1)
DRIVE CONFIGURATION	**4X4 M/T**	**4X4 M/T**	**4X4 M/T**
EXTERIOR FEATURES			
Front Fog Lamp Bezels	Black	Black	Black
Rear Bumper – Colour	Black	Black	Black
Exterior Door Handles – Colour	Black	Black	Black
Exterior Mirrors	Black – Manual Adjustment	Black – Power Adjustment	Black – Power Adjustment
B-Pillar Blackout	–	–	–
Roof Rails	–	–	–
Sportbar	Optional	Optional	Optional
Side-Steps	–	–	–
Mudflaps	Front & Rear	Front & Rear	Front & Rear
Tailgate Handle	Body Colour	Black	Black
INTERIOR FEATURES			
Power-Assisted Steering (PAS)	Hydraulic	Hydraulic	Hydraulic
Air-Conditioner	Manual	Manual	Manual
Pollen Filter	Standard	Standard	Standard
Inside Rear-View Mirror	Day / Night	Day / Night	Day / Night
Sunvisor	Driver and Passenger, Driver with Ticket Holder	Driver and Passenger, Driver with Ticket Holder	Driver and Passenger, Driver with Ticket Holder
Overhead Console with Map Lamps (x 2) and Sunglasses Holder	–	–	–
Digital Clock	Standard	Standard	Standard
Cruise Control	–	–	–
Multi-Information Display (MID)	–	–	–
Auxiliary 12-V Power Socket	1	1	1
Cigarette Lighter without Illumination	Standard	Standard	Standard
Lockable Glove Box	Standard	Standard	Standard
Utility Box on Glove Box	Standard	Standard	Standard
Steering Column Adjustment	–	–	–
Steering Wheel Material	Urethane	Urethane	Urethane
Steering Wheel Multi-Function Controls	–	–	–
Gearshift Trim	Standard	Standard	Standard
Front Seat Configuration	60:40-Split Bench Cushion	Bucket Seats (x 2)	Bucket Seats (x 2)
Rear Seat Configuration	–	60:40-Split Bench Cushion	60:40-Split Bench Cushion
Seat Trim	Canvas	Cloth	Cloth
Seat Adjustment	Driver – 4-Way Manual	Driver – 4-Way Manual	Driver – 4-Way Manual
Storage Pockets behind Front Seats	–	–	–
Door Trim with Storage Pockets and Integrated Cupholders	Standard	Standard	Standard

250 HO MID (AIRBAG) DOUBLE CAB	250 HO X-RIDER DOUBLE CAB	250 HO X-RIDER DOUBLE CAB [1]	300 LS DOUBLE CAB	300 LS DOUBLE CAB
4X4 M/T	4X4 M/T	4X4 M/T	4X4 M/T	4X4 A/T
Black	Black	Black	Chrome	Chrome
Black	Black	Black	Chrome	Chrome
Black	Black	Black	Chrome	Chrome
Black – Power Adjustment	Black – Power Adjustment	Black – Power Adjustment	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Chrome – Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical
–	Standard	Standard	Standard	Standard
–	–	Standard – Black	–	–
Optional	Standard – Black X-Rider	Standard – Black X-Rider	Optional	Optional
–	Standard – Black Tubular X-Rider	Standard – Black	Standard – Black	Standard – Black
Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear
Black	Black	Black	Chrome	Chrome
Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Manual	Manual	Manual	Automatic	Automatic
Standard	Standard	Standard	Standard	Standard
Day / Night	Day / Night	Day / Night	Day / Night	Day / Night
Driver and Passenger, Driver with Ticket Holder	Driver and Passenger, Driver with Ticket Holder	Driver and Passenger, Driver with Ticket Holder	Driver with Ticketholder, Passenger with Vanity Mirror	Driver with Ticketholder, Passenger with Vanity Mirror
–	–	–	Standard	Standard
Standard	Standard	Standard	–	–
–	–	–	Standard	Standard
–	–	–	Standard	Standard
1	1	1	1	1
Standard	–	–	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard with Soft-Touch Finish and Gloss Black Garnish Trim	Standard with Soft-Touch Finish and Gloss Black Garnish Trim
Tilt	Tilt	Tilt	Tilt	Tilt
Urethane	Partial Leather with Red Accent Stitching	Partial Leather with Red Accent Stitching	Partial Leather	Partial Leather
–	–	–	Audio & Auto Cruise	Audio & Auto Cruise
Urethane	Urethane	Urethane	Urethane with Silver Garnish Trim	Urethane with Silver Garnish Trim
Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)
60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion
Cloth	Partial Leather with Red Accent Stitching	Partial Leather with Red Accent Stitching	Partial Leather	Partial Leather
Driver – 4-Way Manual	Driver – 6-Way Manual	Driver – 6-Way Manual	Driver – 6-Way Power	Driver – 6-Way Power
–	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard

D-MAX	250 HO STANDARD SINGLE CAB	250 HO STANDARD DOUBLE CAB	250 HO STANDARD DOUBLE CAB (1)
DRIVE CONFIGURATION	**4X4 M/T**	**4X4 M/T**	**4X4 M/T**
INTERIOR FEATURES			
Interior Door Handles – Colour	Black	Black	Black
Interior Trim Colours	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower
A-Pillar Assist Grip – Driver & Passenger	Standard	Standard	Standard
Roof-Mounted Assist Grips	Passenger	Passengers	Passengers
Floor Trim	Vinyl with Heel Mats (x 2)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)
Floor Tunnel / Console with Integrated Cupholder	–	Standard	Standard
Centre Console Storage Box with Lid	–	Standard	Standard
Driver Footrest	Standard	Standard	Standard
Rear Heater Duct	–	Standard	Standard
Window Operation	Manual – Front	Power – Front with Driver One Touch, Jam Protection	Power – Front with Driver One Touch, Jam Protection
Rear Window	Fixed without Defogger	Fixed without Defogger	Fixed without Defogger
Fuelflap Remote	Standard	Standard	Standard
INFOTAINMENT			
Audio System	Optional	Optional	Optional
Audio Input Terminal: Auxiliary, iPod	–	–	–
USB Port (Music Playback and Device Link)	–	–	–
USB Charge Ports	–	–	–
Speakers	2	2	2
Antenna	Standard	Standard	Standard
OPTIONS			
18" Silver Diamond-Cut Alloy Wheels & 255 / 60 R18 Tyres (AT)	–	–	–
18" All Black Alloy Wheels & 255 / 60 R18 Tyres (AT)	–	–	–
Sliding Rear Window	Available	Available	Available
Black Partial Leather Seats with Driver 6-Way Manual Adjustment	–	Available	Available
AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	Available	Available	Available
AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone,	–	–	–
Metallic Paint	Available	Available	Available
Sportbar – Black	–	Available	Available
Sportbar – Chrome	–	–	–
WARRANTY & SERVICE INTERVALS			
Warranty	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km
Anti-Corrosion Warranty	3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km
Service Intervals	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km

250 HO MID (AIRBAG) DOUBLE CAB	250 HO X-RIDER DOUBLE CAB	250 HO X-RIDER DOUBLE CAB [1]	300 LS DOUBLE CAB	300 LS DOUBLE CAB
4X4 M/T	4X4 M/T	4X4 M/T	4X4 M/T	4X4 A/T
Black	Black	Black	Chrome	Chrome
Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower
Standard	Standard	Standard	Standard	Standard
Passengers	Passengers	Passengers	Driver & Passengers	Driver & Passengers
Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard with Soft-Touch Finish	Standard with Soft-Touch Finish
Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard
Power – Front with Driver One Touch, Jam Protection	Power – Front with Driver One Touch, Jam Protection	Power – Front with Driver One Touch, Jam Protection	Power – Front with Driver One Touch, Jam Protection & Timer	Power – Front with Driver One Touch, Jam Protection & Timer
Fixed with Defogger	Fixed with Defogger	Fixed with Defogger	Fixed with Defogger	Fixed with Defogger
Standard	Standard	Standard	Standard	Standard
Optional	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone
–	Standard	Standard	Standard	Standard
–	–	–	Front	Front
–	–	–	Front & Rear	Front & Rear
4	4	4	8	8
Standard	Standard	Standard	Standard	Standard
Available	–	–	–	–
–	–	Available	–	–
Available	Available	Available	Available	Available
Available	–	–	–	–
Available	–	–	–	–
Available	Available	Available	–	–
Available	Switchblade Silver / Pull Me Over Red	Switchblade Silver / Pull Me Over Red	Available	Available
Available	–	–	–	–
–	–	–	Available	Available
3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km
3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km
5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km

THERE'S WORK TO DO

ISUZU

With you, for the long run

Notes:

(1) Available midyear 2020.

The information herein is provided as a guide only. Specification is subject to change at any time.
Please contact your nearest dealer to confirm current specification.
Errors & Omissions Excepted. Model/s shown may differ. Date of issue February 2020.